Manitoba

Innovation, Energy and Mines
Petroleum Branch
360-1395 Ellice Ave, Winnipeg MB R3G 3P2
T 204-945-6577 **F** 204-945-0586
www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT
(January 1/12 – January 23/12)

DRILLING ACTIVITY	To January 23/12	To January 24/11	2011 Total
Drilling Licences Issued	66	40	672
Licences Cancelled	1	0	55
Vertical Wells Drilled	3	2	42
Horizontal Wells Drilled	51	39	536
Stratigraphic Test Holes Drilled	0	0	0
Wells Drilled - Total	54	41	578
No. of Metres Drilled	99 099	77 723	1 068 753
Wells Re-entered	0	0	7
Wells Being Drilled	16	9	0
No. of Active Rigs	21	15	0
Wells Licenced but Not Spudded	148	114	144
Wells Completed as Potential Oil Wells	54	35	559
Wells Abandoned Dry	0	3	13
Wells Drilled but Not Completed	0	2	0
Other Completions	0	1	7
New Wells on Production	0	12	284

GEOPHYSICAL ACTIVITY			
Geophysical Programs Licenced	6	1	19
Licences Cancelled	0	0	0
Kilometers Licenced	255	446	4 815
Kilometers Run	0	10	1 422

OIL PRICES (Average)	2011 $/m3 ($/bbl)	2010 $/m3 ($/bbl)
Month of November	616.95 (98.04)	506.57 (80.50)
Month of December	616.95 (98.04)	536.67 (85.28)

OIL PRODUCTION (M3)	2011	2010
Month of February	183 625.6	135 441.2
Cumulative Thru February 28	386 090.7	281 890.5

WEEKLY WELL ACTIVITY REPORT

23 January 2012

Lic. No.: 7491

Legacy Coulter Prov. HZNTL 4-30-1-27 (WPM)
UWI: 100.04-30-001-27W1.00

Revision to Report of: 03-Aug-2010
Contractor: CanElson Drilling Inc. – Rig# 14

Spud Date: 16-Jan-2012
K.B. Elevation: 459.00 m
Surface Casing: 219.00 mm @ 208.56 m with 15.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 7607

CNRL Pierson HZNTL 3-23-2-29 (WPM)
UWI: 100.03-23-002-29W1.00

Spud Date: 21-Jan-2012
K.B. Elevation: 472.27 m
Surface Casing: 244.50 mm @ 170.00 m with 20.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 7608

CNRL Pierson HZNTL 4-23-2-29 (WPM)
UWI: 102.04-23-002-29W1.00

Status: Completing (COMP)
Completing: 06-Jan-2012

Lic. No.: 7828

ARC Waskada HZNTL A4-4-1-24 (WPM)
UWI: 103.04-04-001-24W1.00

Status: Completing (COMP)
Completing: 04-Jan-2012

Lic. No.: 7843

Fairborne Daly Sinclair Prov. HZNTL 15-30-7-29 (WPM)
UWI: 100.15-30-007-29W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 23-Jan-2011

Lic. No.: 7906

CNRL Pierson HZNTL 16-15-2-29 (WPM)
UWI: 100.16-15-002-29W1.00

Status: Completing (COMP)
Completing: 20-Dec-2011

Lic. No.: 7908
Tundra Daly Sinclair HZNTL 5-26-10-29 (WPM)
UWI: 100.05-26-010-29W1.00

Spud Date: 21-Jan-2012
K.B. Elevation: 524.40 m
Surface Casing: 244.50 mm @ 141.50 m with 15.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 7943
Tundra Daly Sinclair 5-8-9-29 (WPM)
UWI: 100.05-08-009-29W1.00

Status: Junked and Abandoned (ABD J)
Junked and Abandoned: 23-Nov-2011

Lic. No.: 7961
Tundra Daly Sinclair HZNTL 8-25-10-29 (WPM)
UWI: 102.08-25-010-29W1.00

Intermediate Casing: 139.70 mm @ 2351.18 m with 45.3 t
Rig Released: 20-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 20-Jan-2012

Lic. No.: 7989
Penn West Waskada HZNTL A12-33-1-25 (WPM)
UWI: 103.12-33-001-25W1.00

Status: Completing (COMP)
Completing: 04-Jan-2012

Lic. No.: 7991
Penn West Waskada HZNTL A13-33-1-25 (WPM)
UWI: 103.13-33-001-25W1.00

Status: Completing (COMP)
Completing: 03-Jan-2012

Lic. No.: 8057
EOG Waskada Prov. HZNTL 7-2-2-25 (WPM)
UWI: 102.07-02-002-25W1.00

Status: Completing (COMP)
Completing: 27-Dec-2011

Lic. No.: 8132
EOG Pierson HZNTL 9-36-1-28 (WPM)
UWI: 100.09-36-001-28W1.02

Status: Completing (COMP)
Completing: 28-Dec-2011

Lic. No.: 8202
ARC Waskada HZNTL 2-22-1-24 (WPM)
UWI: 102.02-22-001-24W1.00

Status: Completing (COMP)
Completing: 10-Jan-2012

Lic. No.: 8206

South Pierson Unit No. 1 15-17-2-29 (WPM)
UWI: 100.15-17-002-29W1.00

Surface Casing: 219.10 mm @ 117.00 m with 18.0 t
Intermediate Casing: 114.30 mm @ 1082.00 m with 33.0 t
Finished Drilling: 19-Jan-2012
Total Depth: 1087.00 m
Rig Released: 20-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 20-Jan-2012

Lic. No.: 8224

Waskada Unit No. 14 HZNTL A1-32-1-25 (WPM)
UWI: 103.01-32-001-25W1.00

Status: Completing (COMP)
Completing: 14-Jan-2012

Lic. No.: 8282

Waskada Unit No. 2 HZNTL 11-26-1-26 (WPM)
UWI: 103.11-26-001-26W1.00

Surface Casing: 219.10 mm @ 252.00 m with 16.5 t
Intermediate Casing: 139.70 mm @ 1752.00 m with 46.8 t
Finished Drilling: 20-Jan-2012
Total Depth: 1752.00 m
Rig Released: 22-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 22-Jan-2012

Lic. No.: 8293

Waskada Unit No. 2 HZNTL 14-26-1-26 (WPM)
UWI: 102.14-26-001-26W1.00

Status: Completing (COMP)
Completing: 08-Jan-2012

Lic. No.: 8338

CNRL Pierson Prov. HZNTL 1-14-2-29 (WPM)
UWI: 100.01-14-002-29W1.00

Status: Completing (COMP)
Completing: 20-Dec-2011

Lic. No.: 8340

CNRL Pierson Prov. HZNTL 8-14-2-29 (WPM)
UWI: 102.08-14-002-29W1.00

Status: Completing (COMP)
Completing: 03-Jan-2012

Lic. No.: 8342

Waskada Unit No. 2 HZNTL A14-26-1-26 (WPM)
UWI: 103.14-26-001-26W1.00

Status: Completing (COMP)
Completing: 07-Jan-2012

Lic. No.: 8343
Waskada Unit No. 2 HZNTL B14-26-1-26 (WPM)
UWI: 104.14-26-001-26W1.00

Status: Completing (COMP)
Completing: 07-Jan-2012

Lic. No.: 8351
Fairborne et al Daly Sinclair HZNTL 1-19-7-29 (WPM)
UWI: 100.01-19-007-29W1.00

Intermediate Casing: 139.70 mm @ 2386.00 m with 71.2 t
Finished Drilling: 21-Jan-2012
Total Depth: 2386.00 m
Rig Released: 23-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 23-Jan-2012

Lic. No.: 8352
Waskada Unit No. 16 HZNTL 2-9-2-25 (WPM)
UWI: 102.02-09-002-25W1.00

Status: Completing (COMP)
Completing: 29-Dec-2011

Lic. No.: 8360
Legacy Coulter HZNTL 5-33-1-27 (WPM)
UWI: 100.05-33-001-27W1.00

Status: Completing (COMP)
Completing: 05-Jan-2012

Lic. No.: 8361
Legacy Pierson HZNTL 1-27-1-28 (WPM)
UWI: 100.01-27-001-28W1.00

Status: Completing (COMP)
Completing: 15-Jan-2012

Lic. No.: 8373
Legacy Coulter HZNTL 16-19-1-27 (WPM)
UWI: 100.16-19-001-27W1.00

Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8380
Penn West Waskada HZNTL B7-20-1-25 (WPM)
UWI: 104.07-20-001-25W1.00

Intermediate Casing: 139.70 mm @ 1667.00 m with 43.3 t
Finished Drilling: 17-Jan-2012
Total Depth: 1667.00 m
Rig Released: 19-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 19-Jan-2012

Lic. No.: 8390

EOG Waskada HZNTL B11-14-1-25 (WPM)
UWI: 103.11-14-001-25W1.00

Main Hole Commenced: 17-Jan-2012
K.B. Elevation: 469.56 m
Intermediate Casing: 139.70 mm @ 1698.00 m with 47.0 t
Finished Drilling: 19-Jan-2012
Total Depth: 1698.00 m
Rig Released: 21-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Jan-2012

Lic. No.: 8403

EOG Waskada HZNTL 5-7-2-25 (WPM)
UWI: 100.05-07-002-25W1.00

Rig Released: 17-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Jan-2012

Lic. No.: 8404

EOG Waskada HZNTL 6-26-1-25 (WPM)
UWI: 100.06-26-001-25W1.00

Main Hole Commenced: 21-Jan-2012
K.B. Elevation: 472.67 m
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8410

Penn West Waskada HZNTL B13-33-1-25 (WPM)
UWI: 104.13-33-001-25W1.00

Status: Completing (COMP)
Completing: 04-Jan-2012

Lic. No.: 8423

Penn West Waskada HZNTL 8-20-1-25 (WPM)
UWI: 102.08-20-001-25W1.00

Spud Date: 18-Jan-2012
K.B. Elevation: 476.06 m
Surface Casing: 219.10 mm @ 259.00 m with 16.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8425

Penn West Waskada HZNTL B8-20-1-25 (WPM)
UWI: 104.08-20-001-25W1.00

Intermediate Casing: 139.70 mm @ 1657.00 m with 48.0 t
Finished Drilling: 16-Jan-2012
Total Depth: 1657.00 m
Rig Released: 17-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Jan-2012

Lic. No.: 8429

Waskada Unit No. 2 HZNTL A3-26-1-26 (WPM)
UWI: 103.03-26-001-26W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 23-Jan-2012

Lic. No.: 8441

Waskada Unit No. 7 Prov. HZNTL 3-20-1-25 (WPM)
UWI: 102.03-20-001-25W1.00

Spud Date: 20-Jan-2012
K.B. Elevation: 475.62 m
Surface Casing: 219.10 mm @ 254.00 m with 18.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8445

Tundra Daly Sinclair HZNTL 13-27-10-29 (WPM)
UWI: 102.13-27-010-29W1.00

Intermediate Casing: 139.70 mm @ 868.00 m with 9.0 t
Rig Released: 17-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 17-Jan-2012

Lic. No.: 8447

EOG Coulter HZNTL 11-21-1-27 (WPM)
UWI: 102.11-21-001-27W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 23-Jan-2012

Lic. No.: 8448

EOG Coulter HZNTL A11-21-1-27 (WPM)
UWI: 103.11-21-001-27W1.00

Revision to Report of: 19-Dec-2011
Contractor: Precision Drilling – Rig# 156

Main Hole Commenced: 19-Jan-2012
K.B. Elevation: 455.90 m
Intermediate Casing: 139.70 mm @ 1809.00 m with 46.0 t
Finished Drilling: 22-Jan-2012
Total Depth: 1809.00 m
Rig Released: 23-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 23-Jan-2012

Lic. No.: 8449

EOG Coulter HZNTL B11-21-1-27 (WPM)
UWI: 104.11-21-001-27W1.00

Intermediate Casing: 139.70 mm @ 1840.00 m with 47.0 t
Finished Drilling: 18-Jan-2012
Total Depth: 1840.00 m
Rig Released: 19-Jan-2012

Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 19-Jan-2012

Lic. No.: 8453

Sinclair Unit No. 7 Prov. HZNTL 14-14-8-29 (WPM)
UWI: 102.14-14-008-29W1.00

Intermediate Casing: 139.70 mm @ 2126.00 m with 42.2 t
Finished Drilling: 18-Jan-2012
Total Depth: 2126.00 m
Rig Released: 19-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 19-Jan-2012

Lic. No.: 8463

Waskada LAm Unit No. 1 HZNTL D10-25-1-26 (WPM)
UWI: 106.10-25-001-26W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 23-Jan-2012

Lic. No.: 8464

Waskada LAm Unit No. 1 HZNTL B10-24-1-26 (WPM)
UWI: 104.10-24-001-26W1.00

Spud Date: 14-Jan-2012
K.B. Elevation: 471.37 m
Surface Casing: 219.10 mm @ 256.00 m with 16.0 t
Intermediate Casing: 139.70 mm @ 1648.00 m with 38.8 t
Finished Drilling: 19-Jan-2012
Total Depth: 1648.00 m
Rig Released: 21-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Jan-2012

Lic. No.: 8469

Reliable East Manson HZNTL 7-8-13-28 (WPM)
UWI: 100.07-08-013-28W1.00

Finished Drilling: 17-Jan-2012
Total Depth: 1480.00 m
Rig Released: 20-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 20-Jan-2012

Lic. No.: 8471

ARC Waskada HZNTL 15-15-1-24 (WPM)
UWI: 100.15-15-001-24W1.00

Intermediate Casing: 139.70 mm @ 137.00 m with 46.0 t
Finished Drilling: 17-Jan-2012
Total Depth: 1639.00 m
Rig Released: 19-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 19-Jan-2012

Lic. No.: 8473

Waskada Unit No. 2 HZNTL C14-26-1-26 (WPM)
UWI: 105.14-26-001-26W1.00

Status: Completing (COMP)
Completing: 08-Jan-2012

Lic. No.: 8475

Waskada Unit No. 15 HZNTL A5-4-2-26 (WPM)
UWI: 103.05-04-002-26W1.00

Intermediate Casing: 139.70 mm @ 2063.00 m with 46.0 t
Rig Released: 16-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 16-Jan-2012

Lic. No.: 8476

Waskada Unit No. 15 HZNTL B5-4-2-26 (WPM)
UWI: 104.05-04-002-26W1.00

Spud Date: 17-Jan-2012
K.B. Elevation: 463.68 m
Surface Casing: 219.10 mm @ 167.00 m with 8.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8481

Tundra St. Lazare HZNTL 13-25-16-28 (WPM)
UWI: 100.15-25-016-28W1.00 – Stratigraphic Test Hole

Spud Date: 18-Jan-2012
K.B. Elevation: 479.71 m
Surface Casing: 244.50 mm @ 141.00 m with 13.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8482

Sinclair Unit No. 7 HZNTL 13-15-8-29 (WPM)
UWI: 102.13-15-008-29W1.00

Spud Date: 20-Jan-2012
K.B. Elevation: 519.87 m
Surface Casing: 244.50 mm @ 142.00 m with 13.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8483

Sinclair Unit No. 7 Prov. HZNTL 9-14-8-29 (WPM)
UWI: 102.09-14-008-29W1.00

Finished Drilling: 19-Jan-2012
Total Depth: 2298.00 m
Rig Released: 20-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 20-Jan-2012

Lic. No.: 8484

Tundra Birdtail HZNTL 12-20-16-27 (WPM)
100.04-29-016-27W1.00 – Stratigraphic Test Hole

Status: Abandoned Stratigraphic Test Hole (ABD STH)
Abandoned Stratigraphic Test Hole: 16-Jan-2012

UWI: 100.12-20-016-27W1.02 – Horizontal Section

Kick-Off Date: 17-Jan-2012
Kick-Off Point: 643 m
Intermediate Casing: 177.80mm @ 643.00 m with 8.3 t
Finished Drilling: 17-Jan-2012
Total Depth: 1228.00 m
Rig Released: 18-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 18-Jan-2012

Lic. No.: 8489

Tundra Daly Sinclair HZNTL 8-25-8-28 (WPM)
UWI: 100.08-25-008-28W1.00

Intermediate Casing: 114.3 mm @ 2389 m with 48.8 t
Finished Drilling: 20-Jan-2012
Total Depth: 2389.00 m
Rig Released: 21-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 21-Jan-2012

Lic. No.: 8490

Reliable South Kirkella HZNTL 8-12-11-29 (WPM)
UWI: 100.08-12-011-29W1.00

Spud Date: 22-Jan-2012
K.B. Elevation: 525.08 m
Surface Casing: 244.50 mm @ 140.00 m with 10.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8498

Fort Calgary East Manson Prov. HZNTL 10-29-13-28 (WPM)
UWI: 100.10-29-013-28W1.00

Spud Date: 16-Jan-2012
K.B. Elevation: 489.64 m
Surface Casing: 244.50 mm @ 142.00 m with 14.0 t
Intermediate Casing: 177.80 mm @ 769.00 m with 20.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8500

Tundra Daly Sinclair HZNTL 16-21-7-28 (WPM)
UWI: 100.16-21-007-28W1.00

Spud Date: 20-Jan-2012
K.B. Elevation: 496.03 m
Surface Casing: 244.50 mm @ 140.00 m with 12.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8502
Tundra Daly Sinclair HZNTL 16-30-9-27 (WPM)
UWI: 100.16-30-009-27W1.00

Spud Date: 16-Jan-2012
K.B. Elevation: 487.73 m
Surface Casing: 244.50 mm @ 131.00 m with 12.0 t
Intermediate Casing: 139.70 mm @ 2239.00 m with 41.5 t
Finished Drilling: 21-Jan-2012
Total Depth: 2239.00 m
Rig Released: 23-Jan-2012
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 23-Jan-2012

Lic. No.: 8507
Tundra Daly Sinclair HZNTL 10-8-8-28 (WPM)
UWI: 100.10-08-008-28W1.00

Spud Date: 21-Jan-2012
K.B. Elevation: 502.32 m
Surface Casing: 244.50 mm @ 141.00 m with 13.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8508
Tundra et al Daly Sinclair Prov. HZNTL 7-22-10-29 (WPM)
UWI: 100.07-22-010-29W1.00

Spud Date: 18-Jan-2012
K.B. Elevation: 528.28 m
Surface Casing: 244.50 mm @ 138.00 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8510
Tundra Whitewater HZNTL 14-5-3-21 (WPM)
UWI: 102.14-05-003-21W1.00

Status: Moving In Rotary Tools (MIRT)
Moving In Rotary Tools: 23-Jan-2012

Lic. No.: 8514
ARC Waskada HZNTL 13-14-1-24 (WPM)
UWI: 100.13-14-001-24W1.00

Spud Date: 19-Jan-2012
K.B. Elevation: 528.61 m
Surface Casing: 219.00 mm @ 167.00 m with 14.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 23-Jan-2012

Lic. No.: 8526

EOG Pierson HZNTL 1-17-2-28 (WPM)
UWI: 100.01-17-002-28W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 03B-17-02-28
Co-ords: 150.12m (N) of (S) boundary of Sec. 17
585.89m (E) of (W) boundary of Sec. 17
Grd Elev: 463.02 m
Proj. TD: 1645 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8527

EOG Pierson HZNTL 5-17-2-28 (WPM)
UWI: 100.05-17-002-28W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 07D-17-02-28
Co-ords: 696.16m (N) of (S) boundary of Sec. 17
555.67m (W) of (E) boundary of Sec. 17
Grd Elev: 459.11 m
Proj. TD: 1645 m (Triassic)
Field: Pierson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8528

EOG Waskada HZNTL 5-8-1-25 (WPM)
UWI: 100.05-08-001-25W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG Resources Canada Inc.
Mineral Rights: EOG Resources Canada Inc.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 07C-08-01-25
Co-ords: 619.23m (N) of (S) boundary of Sec. 8
664.25m (W) of (E) boundary of Sec. 8
Grd Elev: 468.04 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8529

EOG Waskada HZNTL A5-8-1-25 (WPM)
UWI: 102.05-08-001-25W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG Resources Canada Inc.
Mineral Rights: EOG Resources Canada Inc.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 07C-08-01-25
Co-ords: 634.23m (N) of (S) boundary of Sec. 8
664.23m (W) of (E) boundary of Sec. 8
Grd Elev: 468.14 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8530

EOG Waskada HZNTL B5-8-1-25 (WPM)
UWI: 103.05-08-001-25W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG Resources Canada Inc.
Mineral Rights: EOG Resources Canada Inc.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 07C-08-01-25
Co-ords: 649.23m (N) of (S) boundary of Sec. 8
664.22m (W) of (E) boundary of Sec. 8
Grd Elev: 468.21 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8531

EOG Waskada HZNTL A4-8-1-25 (WPM)
UWI: 103.04-08-001-25W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 02C-08-01-25
Co-ords: 219.72m (N) of (S) boundary of Sec. 8
664.70m (W) of (E) boundary of Sec. 8
Grd Elev: 467.19 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8532

EOG Waskada HZNTL B4-8-1-25 (WPM)
UWI: 104.04-08-001-25W1.00

Licence Issued: 18-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 02C-08-01-25
Co-ords: 234.74m (N) of (S) boundary of Sec. 8
664.68m (W) of (E) boundary of Sec. 8
Grd Elev: 467.12 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8533

CPEC South Kirkella Prov. 3-11-11-29 (WPM)
UWI: 100.03-11-011-29W1.00

Licence Issued: 18-Jan-2012
Licensee: Crescent Point Energy Corp.
Mineral Rights: Crescent Point Energy Corp.
Contractor: Big Sky Drilling/Ensign - Rig# 40
Surface Location: 03-11-11-29
Co-ords: 110.00m (N) of (S) boundary of Sec. 11
455.00m (E) of (W) boundary of Sec. 11
Grd Elev: 526.00 m
Proj. TD: 910.4 m (Mississippian)
Area: South Kirkella
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8534

Penn West Waskada Prov. HZNTL 9-32-1-25 (WPM)
UWI: 102.09-32-001-25W1.00

Licence Issued: 19-Jan-2012
Licensee: Penn West Petroleum Ltd.
Mineral Rights: Penn West Petroleum Ltd.
Contractor: Big Sky Drilling - Rig# 37
Surface Location: 11B-32-01-25
Co-ords: 777.02m (S) of (N) boundary of Sec. 32
588.76m (E) of (W) boundary of Sec. 32
Grd Elev: 471.06 m
Proj. TD: 1727 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8535

Penn West Waskada Prov. HZNTL A9-32-1-25 (WPM)
UWI: 103.09-32-001-25W1.00

Licence Issued: 19-Jan-2012
Licensee: Penn West Petroleum Ltd.
Mineral Rights: Penn West Petroleum Ltd.
Contractor: Big Sky Drilling - Rig# 37
Surface Location: 11A-32-01-25
Co-ords: 776.97m (S) of (N) boundary of Sec. 32
618.76m (E) of (W) boundary of Sec. 32
Grd Elev: 471.37 m
Proj. TD: 1669 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8536

ARC Waskada HZNTL 6-9-1-24 (WPM)
UWI: 102.06-09-001-24W1.00

Licence Issued: 19-Jan-2012
Licensee: ARC Resources Ltd
Mineral Rights: ARC Resources Ltd
Contractor: Quintera Drilling - Rig# 7
Surface Location: 08D-08-01-24
Co-ords: 685.00m (N) of (S) boundary of Sec. 8
90.00m (W) of (E) boundary of Sec. 8
Grd Elev: 491.67 m
Proj. TD: 1634 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8537

Sinclair Unit No. 7 HZNTL 5-15-8-29 (WPM)
UWI: 102.05-15-008-29W1.00

Licence Issued: 19-Jan-2012
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 65
Surface Location: 05C-14-08-29
Co-ords: 752.75m (N) of (S) boundary of Sec. 14
60.00m (E) of (W) boundary of Sec. 14
Grd Elev: 516.37 m
Proj. TD: 2532.0 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8538

Sinclair Unit No. 7 HZNTL A5-15-8-29 (WPM)
UWI: 103.05-15-008-29W1.00

Licence Issued: 19-Jan-2012
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 65
Surface Location: 04C-14-08-29
Co-ords: 308.10m (N) of (S) boundary of Sec. 14
60.00m (E) of (W) boundary of Sec. 14
Grd Elev: 515.07 m
Proj. TD: 2538.3 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8539

Sinclair Unit No. 7 Prov. HZNTL 8-14-8-29 (WPM)
UWI: 102.08-14-008-29W1.00

Licence Issued: 19-Jan-2012
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 65
Surface Location: 05C-14-08-29
Co-ords: 782.75m (N) of (S) boundary of Sec. 14
60.00m (E) of (W) boundary of Sec. 14
Grd Elev: 515.88 m
Proj. TD: 2299.9 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8540

Sinclair Unit No. 7 Prov. HZNTL A8-14-8-29 (WPM)
UWI: 103.08-14-008-29W1.00

Licence Issued: 19-Jan-2012
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 65
Surface Location: 04C-14-08-29
Co-ords: 338.10m (N) of (S) boundary of Sec. 14
60.00m (E) of (W) boundary of Sec. 14
Grd Elev: 515.58 m
Proj. TD: 2313.6 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8541

EOG Waskada HZNTL 7-8-1-25 (WPM)
UWI: 100.07-08-001-25W1.00

Licence Issued: 20-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 05C-09-01-25
Co-ords: 660.04m (N) of (S) boundary of Sec. 9
124.92m (E) of (W) boundary of Sec. 9
Grd Elev: 468.31 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8542

EOG Waskada HZNTL A7-8-1-25 (WPM)
UWI: 102.07-08-001-25W1.00

Licence Issued: 20-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 05C-09-01-25
Co-ords: 675.04m (N) of (S) boundary of Sec. 9
124.92m (E) of (W) boundary of Sec. 9
Grd Elev: 468.30 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8543

EOG Waskada HZNTL B7-8-1-25 (WPM)
UWI: 103.07-08-001-25W1.00

Licence Issued: 20-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 05C-09-01-25
Co-ords: 690.04m (N) of (S) boundary of Sec. 9
124.92m (E) of (W) boundary of Sec. 9
Grd Elev: 468.40 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8544 Waskada Unit No. 19 HZNTL A1-34-1-25 (WPM)
UWI: 103.01-34-001-25W1.00

Licence Issued: 20-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 14D-27-01-25
Co-ords: 50.00m (S) of (N) boundary of Sec. 27
604.92m (E) of (W) boundary of Sec. 27
Grd Elev: 472.44 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8545 Waskada Unit No. 19 HZNTL B16-27-1-25 (WPM)
UWI: 104.16-27-001-25W1.00

Licence Issued: 20-Jan-2012
Licensee: EOG RESOURCES CANADA INC.
Mineral Rights: EOG RESOURCES CANADA INC.
Contractor: Precision Drilling (1987) Ltd. - Rig# 195
Surface Location: 14D-27-01-25
Co-ords: 65.00m (S) of (N) boundary of Sec. 27
604.91m (E) of (W) boundary of Sec. 27
Grd Elev: 472.31 m
Proj. TD: 1645 m (Triassic)
Field: Waskada
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)

Lic. No.: 8546 Tundra East Manson Prov. HZNTL 8-10-13-28 (WPM)
UWI: 100.08-10-013-28W1.00

Licence Issued: 20-Jan-2012
Licensee: Tundra Oil & Gas Partnership
Mineral Rights: Tundra Oil & Gas Partnership
Contractor: Trinidad Drilling Ltd. - Rig# 10
Surface Location: 08D-09-13-28
Co-ords: 680.00m (N) of (S) boundary of Sec. 9
65.03m (W) of (E) boundary of Sec. 9
Grd Elev: 493.00 m
Proj. TD: 2201.8 m (Mississippian)
Area: East Manson
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)